



Lightning protection and grounding of lead-acid batteries in solar container communication stations

Source: <https://www.ruedasenmadrid.es/Mon-26-Jan-2026-34293.html>

Website: <https://www.ruedasenmadrid.es>

This PDF is generated from: <https://www.ruedasenmadrid.es/Mon-26-Jan-2026-34293.html>

Title: Lightning protection and grounding of lead-acid batteries in solar container communication stations

Generated on: 2026-04-22 23:55:26

Copyright (C) 2026 MADRID MICROGRID. All rights reserved.

For the latest updates and more information, visit our website: <https://www.ruedasenmadrid.es>

In this article learn how you can protect your solar power system from lightning.

Learn step-by-step how to safeguard your solar installation from lightning damage with grounding, surge protectors, and lightning rods.

Dedicated lightning current paths ensure adequate distribution through structures and grounding. Reducing the distribution capabilities will overstress SPDs and various other equipment.

To ensure the safe operation of the system, appropriate lightning protection measures, such as lightning rods, good grounding ...

This article delves into the science behind lightning protection, with a focus on surge protection devices (SPDs) from reputable manufacturers like Midnite Solar and Delta, ...

The paper emphasizes the importance of comprehensive risk assessment, surge protection devices, grounding systems, and maintenance practices to mitigate the damaging effects of ...

Therefore, it is strongly recommended that in the design of such installations, special emphasis should be placed on lightning protection and grounding of these objects in order to avoid ...

o protect your solar system is by using surge protectors. These devices can absorb excess robust lightning protection to ensure operational safety. This article explores industry standards

Types of Alternative Systems For Electricity Generation Possible Risks Associated with Electrical

Lightning protection and grounding of lead-acid batteries in solar container communication stations

Source: <https://www.ruedasenmadrid.es/Mon-26-Jan-2026-34293.html>

Website: <https://www.ruedasenmadrid.es>

Engineering Solutions For Protecting Photovoltaic Systems Examples of Using Protective Measures Every year, the number of PVS only increases, the relevance of alternative energy is confirmed by the world community. The cost of such systems can range from several thousand to several million rubles. Therefore, it is strongly recommended that in the design of such installations, special emphasis should be placed on lightning protection and ground... See more on zandz

```
#b_results .b_vidAns{border-radius:6px;box-shadow:0 0 0 1px
rgba(0,0,0,.05);padding:16px 20px;gap:10px;background:#fff}@charset
"UTF-8";#b_results
.b_ans.b_vidAns{box-shadow:none!important;padding:var(--smtc-gap-between-content-medium)
0!important;background:var(--bing-smtc-background-ctrl-fade-on-image-stop-0)}#b_results .b_ans.b_vidAns
#serpvidans.vsacf .mc_vtvc,#b_results .b_ans.b_vidAns #serpvidans.vsacf .mc_vtvc_th,#b_results
.b_ans.b_vidAns #serpvidans.vsacf .cico,#b_results .b_ans.b_vidAns #serpvidans.vsacf
.mc_vtvc_htb,#b_results .b_ans.b_vidAns #serpvidans.vsacf .vrhc,#b_results .b_ans.b_vidAns
#serpvidans.vsacf .vrhcp,#b_results .b_ans.b_vidAns #serpvidans.vsacf .vrhtc,#b_results .b_ans.b_vidAns
#serpvidans.vsacf .vrhtpc{border-radius:var(--mai-smtc-corner-list-card-nested-default)}#b_results
.b_ans.b_vidAns #serpvidans.vsacf .mmlist .mc_vtvc,#b_results .b_ans.b_vidAns #serpvidans.vsacf .mmlist
.mc_vtvc .mc_vtvc_meta{margin:0}#b_results .b_ans.b_vidAns #serpvidans.vsacf .mmlist .mc_vtvc
.mc_vtvc_meta .mc_vtvc_meta_channel,#b_results .b_ans.b_vidAns #serpvidans.vsacf .mmlist .mc_vtvc
.mc_vtvc_meta
.mc_vtvc_meta_row_channel{color:var(--smtc-foreground-content-neutral-primary)}#serpvidans.vsacf,#serpv
idans.vsacf .expctn .expbody,#serpvidans.vsacf
.mmlist{display:flex;flex-direction:column;gap:var(--smtc-gap-between-content-medium)}#serpvidans.vsacf
.cico{height:auto}#serpvidans.vsacf .mc_vtvc_ban_lo{top:0;right:auto}#serpvidans.vsacf .mc_cwvc .mc_vtvc
.mc_vtvc_meta,#serpvidans.vsacf .mmlist .mc_vtvc
.mc_vtvc_meta{height:auto;padding:var(--smtc-gap-between-content-xx-small) 0
var(--smtc-gap-between-content-xx-small)
var(--smtc-gap-between-content-medium);display:flex;flex-direction:column;justify-content:space-between}#
serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_title,#serpvidans.vsacf .mmlist .mc_vtvc
.mc_vtvc_meta
.mc_vtvc_title{color:var(--smtc-ctrl-link-foreground-brand-rest);font:var(--bing-smtc-text-global-body2);heig
ht:auto;display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical}#serpvidans.vsacf .mc_cwvc
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area,#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block{display:flex;flex-direction:column;gap:var(--smtc-padding-ctrl-text-side)}#serpvidans.
vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area .mc_vtvc_meta_row,#serpvidans.vsacf
.mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row,#serpvidans.vsacf .mmlist
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block_area .mc_vtvc_meta_row,#serpvidans.vsacf .mmlist
.mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row,#serpvidans.vsacf .mmlist
.mc_vtvc .mc_vtvc_meta_block
```

Lightning protection and grounding of lead-acid batteries in solar container communication stations

Source: <https://www.ruedasenmadrid.es/Mon-26-Jan-2026-34293.html>

Website: <https://www.ruedasenmadrid.es>

```
d-default);font:var(--bing-smtc-text-global-caption1)}#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_row .mc_vtvc_meta_row_channel::before,#serpvidans.vsacf
.mc_cwvc .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row
.mc_vtvc_meta_row_channel::before,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_row .mc_vtvc_meta_row_channel::before,#serpvidans.vsacf
.mmlist .mc_vtvc .mc_vtvc_meta .mc_vtvc_meta_block .mc_vtvc_meta_row
.mc_vtvc_meta_row_channel::before{content:" . "}#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mc_cwvc .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area .mc_vtvc_meta_pubdate,#serpvidans.vsacf .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block
.mc_vtvc_meta_pubdate{color:var(--bing-smtc-foreground-content-neutral-tertiary);padding-bottom:0}.vsacf
.mc_cwvc .mc_vtvc_con_rc,.vsacf .mmlist .mc_vtvc_con_rc{display:flex}.vsacf .mc_cwvc .mc_vtvc_con_rc
.mc_vtvc_meta_w,.vsacf .mmlist .mc_vtvc_con_rc .mc_vtvc_meta_w{height:auto}.vsacf
.b_title{padding-left:var(--mai-smtc-padding-card-default)}.vsacf .b_title
.mmtitle{font:var(--bing-smtc-text-global-subtitle1-strong);margin-bottom:0}.vsacf .b_title .mmtitle
a::after{content:"";margin:5px 5px 0 0;border-top:2px solid
var(--smtc-foreground-content-neutral-primary);border-right:2px solid
var(--smtc-foreground-content-neutral-primary);background-size:7px
7px;width:7px;height:7px;transform:rotate(45deg);display:inline-block;margin-left:4px}#serpvidans.vsacf
.b_title .mmtitle{margin-bottom:0}#serpvidans.vsacf .b_title .mmtitle
a{color:var(--smtc-foreground-content-neutral-primary)}#serpvidans.vsacf .cardless.mmlist
.mc_vtvc_con_rc,#serpvidans.vsacf .cardless.mmlist .mc_vtvc_th{height:auto}#serpvidans.vsacf
.vsb_tr_c.va_tt{margin:0}#serpvidans.vsacf .vtbc .mv_vtvc_play,#serpvidans.vsacf .vtbc
.mv_vtvc_play_ext{position:static}#serpvidans.vsacf .va_tt
.mc_vtvc_ban_lo{display:block}#serpvidans.vsacf
.mc_bc{width:auto;border-radius:var(--smtc-ctrl-badge-sm-corner);padding:var(--smtc-padding-ctrl-text-side)
var(--smtc-gap-between-content-xx-small)}#serpvidans.vsacf .rmts .mc_bc
ems{display:none}#serpvidans.vsacf a.vsb_tr_t{color:var(--smtc-foreground-content-neutral-primary)}.vsacf
.va_tt .vsb_tr_chd .mc_vtvc_th_dock.rmoverlay{height:36px}.vsacf .va_tt .vsb_tr_chd
.mc_vtvc_th_dock{height:92px;background:linear-gradient(180deg,var(--bing-smtc-background-ctrl-fade-on-i
mage-stop-0) 0%,var(--mai-smtc-background-ctrl-on-image-rest) 100%)}.vsacf .va_tt a.vsb_tr_t{padding:0
20px;font:var(--acf-font-title-2-strong)}.vsacf .va_tt .vsb_tr_chd .mc_vtvc .mc_vtvc_meta,.vsacf .va_tt
.vsb_tr_chd .mc_vtvc .mc_vtvc_title{color:var(--mai-smtc-foreground-ctrl-on-image-rest)}.vsacf
span.vcmt_ctt{font:var(--bing-smtc-text-global-caption2);margin:var(--smtc-gap-between-content-xx-small) 0
0;height:16px}#serpvidans.vsacf .vsb_tr_chd .mc_vtvc_tot .mc_vtvc_title
strong{font-size:14px;line-height:20px;display:unset}#serpvidans.vsacf .va_tt .b_sldrp
.slide:not(:first-child){margin-left:var(--smtc-gap-between-content-small)}#serpvidans.vsacf .va_tt
```

Lightning protection and grounding of lead-acid batteries in solar container communication stations

Source: <https://www.ruedasenmadrid.es/Mon-26-Jan-2026-34293.html>

Website: <https://www.ruedasenmadrid.es>

```
.vsb_tr_chd .mc_vtvc
.mc_vtvc_title{ white-space:normal;display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical }#se
rpvidans.vsaf .b_module_expansion_control .b_btnContainer
.b_CompactExpansion{ background-color:var(--bing-smtc-background-ctrl-neutral-rest);display:flex;justify-co
ntent:center;align-items:center;gap:4px;width:fit-content;height:auto;padding:8px 12px }#serpvidans.vsaf
.b_module_expansion_control .b_btnContainer .b_CompactExpansion
.b_CompactExpansionBtnText{ font:var(--bing-smtc-text-global-caption1-strong);color:var(--bing-smtc-foregr
ound-content-brand-rest)}#serpvidans.vsaf .b_module_expansion_control .b_btnContainer
.b_CompactExpansion .b_arrow{ display:flex;margin:0;height:auto }#serpvidans.vsaf
.b_module_expansion_control .b_btnContainer .b_CompactExpansion .b_arrow
path#Shape{ fill:var(--bing-smtc-foreground-content-brand-rest)}#serpvidans.vsaf
.b_module_expansion_control
.b_btnContainer::after{ content:"";position:absolute;width:100%;bottom:20px;left:0;height:1px;border-radius:
1px;background:var(--smtc-stroke-ctrl-on-neutral-rest)}#b_results
.b_ans.b_vidAns{ box-shadow:none;padding:12px 20px 0 }#b_results .b_ans.b_vidAns
.vasac{ padding:unset;margin:0 }#b_results .b_ans.b_vidAns .vsa .b_attribution{ padding-bottom:0 }#b_results
.b_ans.b_vidAns .cardless .salink{ margin:0 }#b_results .b_ans.b_vidAns .mmlist
.mc_vtvc{ margin-top:10px }#b_results .b_ans.b_vidAns .mmlist .mc_vtvc
.mc_vtvc_meta{ display:flex;flex-direction:column;justify-content:space-between;margin:0 10px 4px
12px }#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_channel{ color:#111 }#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_row_channel,#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area{ color:#666 }#b_results .b_ans.b_vidAns .mmlist .mc_vtvc .mc_vtvc_meta
.mc_vtvc_meta_block_area{ bottom:0;height:unset}.b_dark .vsa.cardless
.mc_vtvc{ background-color:unset}.b_CompactExpandText{ display:inline }#serpvidans
.b_module_expansion_control{ padding-bottom:0 }#serpvidans .b_module_expansion_control
.b_CompactExpansion{ height:40px;line-height:40px;bottom:-6px;padding-left:20px;padding-right:20px;bord
er-radius:20px;z-index:6 }#serpvidans .b_module_expansion_control
.b_CompactExpansionBtnText{ line-height:40px }#serpvidans .btitle .b_topTitle,#serpvidans .mc_vtvc
.mc_vtvc_title{ margin-bottom:0 }#serpvidans
.mc_vtvc_meta_pubdate{ padding-bottom:0 }#serpvidans{ position:relative;--va-expbody-padding:0 0
24px;--va-ptop:0px;--va-pbop:0px }#serpvidans
.expbody{ overflow-x:visible!important;overflow-y:clip!important;box-sizing:border-box;padding:var(--va-ex
pbody-padding)}#serpvidans.ssize .expbody{ max-height:calc(375px - var(--va-ptop) -
var(--va-pbop)) }#serpvidans.msize .expbody{ max-height:calc(535px - var(--va-ptop) -
var(--va-pbop)) }#serpvidans.lsize .expbody{ min-height:536px }#serpvidans .b_removeShadow
.expbody{ max-height:unset }#serpvidans .b_removeShadow .expbody .grad,#serpvidans .b_removeShadow
.expbody .expext{ display:none }#b_results
```

Lightning protection and grounding of lead-acid batteries in solar container communication stations

Source: <https://www.ruedasenmadrid.es/Mon-26-Jan-2026-34293.html>

Website: <https://www.ruedasenmadrid.es>

```
.b_ans.b_vidAns{--va-ptop:16px;--va-pbop:0px;--va-pleft:20px;--va-pright:20px;border-radius:6px;box-shadow:0 0 0 1px rgba(0,0,0,.05);padding:var(--va-ptop) var(--va-pright) var(--va-pbop) var(--va-pleft);margin-bottom:30px;gap:10px}#b_results .b_ans.b_vidAns .b_moreLink{padding:9px 0 0 0}.mmtitle>a{display:block}.mc_fh{height:100%;border-radius:6px}.mc_tc_bs{overflow:hidden}.mmlist .mc_vtvc .mc_vtvc_meta { padding: 12px 16px 16px 16px; } .mmlist .mc_vtvc .mc_vtvc_meta_w { height: 112px; margin-top: -0px; } .mmlist .mc_vtvc .mc_vtvc_title { height: 44px; line-height: 22px; margin-bottom: 0px; margin-top: 0px; } .mmlist .mc_vtvc .mc_vtvc_meta_block_area { height: 40px; } .mmlist .mc_vtvc .vtmu, .mmlist .mc_vtvc .vtpl { bottom: 120px; } .mmlist .mc_vtvc_th_dock { height: 112px; } .mmlist .mc_vtvc_th .cico { height: 131px; } .mc_vtvc{background-color:#fff;box-shadow:0 0 0 1px rgba(0,0,0,.05);line-height:0;margin:0;position:relative;border-radius:6px;overflow:hidden}.mc_vtvc.noshadow{box-shadow:none}.mc_vtvc_con_rc{border-radius:6px;overflow:hidden;position:relative}.mc_vtvc>a{color:#71777d;display:block;text-decoration:none;width:100%}.mc_vtvc>a:focus::after{outline:2px solid #00a89d;width:100%;height:100%;content:"";outline-offset:-2px;position:absolute;top:0;left:0}.mc_vtvc_th{background-color:#d5d5d5;position:relative}.mc_vtvc_th .cico{border-radius:0}.mc_vtvc_ban_lo,.mc_vtvc_ban_up{position:absolute;vertical-align:middle}.mc_vtvc_ban_lo{bottom:0}.mc_vtvc_ban_up{top:0}.mc_vtvc_title{font-weight:normal;margin-bottom:11px;overflow:hidden;color:#111;height:54px;line-height:18px}.mc_vtvc_title a{display:inline-block;color:#111}.mc_vtvc_title a:hover{text-decoration:underline}.mc_vtvc_src_ico{float:left;margin-right:4px}.mc_vtvc_act{height:16px;margin-top:-40px;padding:12px 8px;z-index:1}.mc_vtvc_actc{right:16px;bottom:16px;position:absolute;display:inline-block;z-index:1}.mc_vtvc_act_sep{border-top:1px solid #d5d5d5;height:40px;margin:0 8px}.mc_vtvc_fh .mc_vtvc_act_sep,.mc_vtvc_fh .mc_vtvc_act{visibility:hidden}#serpvidans .b_topTitle{margin-bottom:8px}.mc_vtvc_htc{width:100%;height:100%;position:absolute;top:0;bottom:0;left:0;right:0}.mc_vtvc_htb{width:100%;height:100%;background:rgba(0,0,0,.7);position:absolute;top:0;bottom:0;left:0;right:0}.mc_vtvc_ht{width:100%;padding:0 16px;line-height:16px;color:#fff;text-decoration:underline;word-break:break-word;box-sizing:border-box;vertical-align:middle;text-align:center}.mc_vtvc_th_live_b{background-color:#c80000;color:#fff;display:inline-block;padding:2px 8px;font:11px/14px Arial;border-radius:2px;text-transform:uppercase;height:15px;width:26px;position:absolute;left:8px;top:110px}.isvctrl .isv .mc_vtvc_ban_up{left:0;right:initial}.mc_vtvc_ban_lo,.mc_vtvc_ban_up{right:0}.vt_text.b_IRight .b_ILeft{margin:0 0 0 1px;height:14px;line-height:14px;padding:2px 8px;background:rgba(0,0,0,.75);border-radius:2px;font-weight:bold}.mc_vthtb{width:100%;height:100%;background:rgba(0,0,0,.7);position:absolute;top:0;bottom:0;left:0;right:0;display:table}.mc_vtht{width:100%;padding:0 16px;line-height:16px;color:#fff;text-decoration:underline;word-break:break-word;box-sizing:border-box;vertical-align:middle;text-align:center;display:table-cell}.vt_text.b_IRight .b_ILeft{margin:0 0 0
```

Lightning protection and grounding of lead-acid batteries in solar container communication stations

Source: <https://www.ruedasenmadrid.es/Mon-26-Jan-2026-34293.html>

Website: <https://www.ruedasenmadrid.es>

```
1px;height:14px;line-height:14px;padding:2px
8px;background:rgba(0,0,0,.75);border-radius:2px;font-weight:bold}.emptyStyleForDebuggingPurpose{top:0
}.emptyStyleForDebuggingPurpose{top:0}.mc_vtvc_center_play{width:32px;height:32px;background-size:c
ontain;position:absolute;margin:auto;bottom:0;top:0;left:0;right:0;box-shadow:none;border-radius:0}.mc_vtvc
_center_play.rmvbg{width:32px;height:32px;background-image:none}.mc_vtvc_htb,.mc_vtvc_ht{display:no
ne}.vt_onhvh
        .mc_vtvc_htb{display:table}.vt_onhvh
.mc_vtvc_ht{display:table-cell}.mc_vtvc_center_play{display:inline-block}.vt_onhvh
.mc_vtvc_center_play{display:none}.mc_vtvc
.vtmu,.mc_vtvc
.vtpl{bottom:163px}.vsarf
.mc_vtvc
.vtmu,.vsarf
.mc_vtvc
.vtpl{bottom:122px}.svarh
#mmcar
.mc_vtvc
.vtmu,.svarh
#mmcar
.mc_vtvc
.vtpl{bottom:137px}.svarht
#mmcar
.mc_vtvc
.vtmu,.svarht
#mmcar
.mc_vtvc
.vtpl{top:8px;left:8px}.mc_vtvc_center_play{background-image:url(data:image/svg+xml,%3Csvg%20width
%3D%2232%22%20height%3D%2232%22%20viewBox%3D%220%200%2032%2032%22%20fill%3D%22
none%22%20xmlns%3D%22http%3A%2F%2F%2F2000%2Fsvg%22%3E%0D%0A%20%20%20%20%3Cr
ect%20width%3D%2232%22%20height%3D%2232%22%20rx%3D%2216%22%20fill%3D%22black%22%
20fill-opacity%3D%220.6%22%2F%3E%0D%0A%20%20%20%20%3Cpath%20d%3D%22M14.2354%201
0.1923C13.2355%209.62986%2012%2010.3524%2012%2011.4997V20.5C12%2021.6472%2013.2355%202
2.3698%2014.2354%2021.8073L22.2356%2017.3073C23.2551%2016.7339%2023.2551%2015.2661%2022.
2357%2014.6926L14.2354%2010.1923Z%22%20fill%3D%22white%22%20fill-opacity%3D%220.9%22%2
F%3E%0D%0A%3C%2Fsvg%3E)}.mmlist
.mc_vtvc{margin:10px
1px
0}.mmlist
.mc_vtvc_con_rc{display:flex}.cardless
.mmlist
.mc_vtvc_con_rc{height:112px}.mmlist
.mc_vtvc
.mc_vtvc_meta{display:flex;flex-direction:column;justify-content:space-between;margin:0
10px
4px
12px;padding:0}.mmlist
.mc_vtvc_title{font-weight:400;font-size:16px;height:44px;line-height:22px;margin-bottom:0;margin-top:0;c
olor:unset}.mmlist
.mc_vtvc_meta_row{font-size:13px}.mmlist
.mc_vtvc
.mc_vtvc_meta_block_area{height:unset}.mmlist
.mc_vtvc
.vtmu,.mmlist
.mc_vtvc
.vtpl{bottom:8px}.cardless
.mmlist
.mc_vtvc{box-shadow:none}.cardless.mmlist
.mc_vtvc_center_play{width:32px;height:32px}.cardless.mmlist
.mc_vtvc_title{font-size:16px;color:unset}.cardless.mmlist
.mc_vtvc_meta_row{line-height:20px}.cardless.mmlist
.mc_vtvc_meta_pubdate{padding-bottom:2px;color:#666}.cardless.mmlist
.mc_vtvc_th,.cardless.mmlist
.mc_vtvc_th
.cico,.cardless.mmlist
.mc_vtvc_th
div.rms_img{border-radius:6px}.cardless.mmlist
.mc_vtvc_th{height:111px}.cardless.mmlist
.mc_vtvc_htc{border-radius:6px;overflow:hidden}#serpvidans.vasac.cardless{box-shadow:none}.cardless.m
mmlist
.mc_bc{padding:2px
8px;line-height:14px;border-radius:2px;font-weight:normal}.mc_vtvc:hover
.mc_vtvc_title{text-decoration:underline}.mc_vtvc_meta{box-sizing:border-box;display:inline-block;line-hei
ght:18px;position:relative;width:100%}.mc_vtvc_meta_block{bottom:0;position:absolute;width:100%}.mc_v
tvc_meta_row{line-height:16px;font-size:11px;height:17px;overflow:hidden;text-overflow:ellipsis;white-spac
e:nowrap}.mc_vtvc_meta_row
a{display:inline-block}.mc_vtvc_meta_row
```

Lightning protection and grounding of lead-acid batteries in solar container communication stations

Source: <https://www.ruedasenmadrid.es/Mon-26-Jan-2026-34293.html>

Website: <https://www.ruedasenmadrid.es>

```
a:hover{text-decoration:underline}.mc_vtvc_meta_block_area{position:relative}.mc_vtvc_meta_block,.mc_vtvc_meta_block
a{color:#444}.b_dark
.mc_vtvc_meta_block{color:#edebe9}.mc_vtvc_meta_row>:nth-of-type(n+2)::before{content:"
"}.mc_vtvc_meta_row
.mc_vtvc_meta_row_channel::before{content:"
"}.mc_vtvc_kmt_title{line-height:18px;padding-bottom:4px;font-weight:bold;color:#00809d;text-transform:u
ppercase;font-size:11px}.mc_vtvc_kmt,.mc_vtvc_con_rc.onhov
.wkmt
.mc_vtvc_meta_row,.mc_vtvc_con_rc.onhov
.wkmt
.tibc_tt{display:none}.mc_vtvc_con_rc.onhov
.wkmt
.mc_vtvc_title{max-height:18px;margin-bottom:18px;overflow:hidden}.mc_vtvc_con_rc.onhov.mmsts
.mc_vtvc_title{visibility:hidden}.mc_vtvc_con_rc.onhov
.mc_vtvc_kmt{display:block}.mc_vtvc_kmt_content
.b_factrow{line-height:17px;font-size:11px;max-height:34px;overflow:hidden;text-overflow:ellipsis;padding:
0
16px
0
0;color:#444}.mc_vtvc_meta
.mc_vtvc_kmt_title{line-height:18px}.mc_vtvc_title:hover{text-decoration:none}.mc_vtvc_meta_pubdate{co
lor:#444;padding-bottom:3px}.mc_vtvc_meta_channel{color:#444}.mc_vtvc_meta_w,.mc_vplvc_meta_w{po
sition:relative}.mc_vtvc_meta_bg_w,.mc_vplvc_meta_bg_w{height:100%;width:100%;overflow:hidden;posit
ion:absolute;top:0}.mc_vtvc_meta_bg_w
.cico,.mc_vplvc_meta_bg_w
.cico{border-radius:0;overflow:visible}.dg_u
.mm_vidch_th_c{overflow:visible}.dg_u
.mm_vidch_th_bg
img{margin-top:-20px}.emptyStyleForDebuggingPurpose{top:0}.mc_vtvc_meta_w
.mc_vtvc_meta{background:rgba(255,255,255,.75)}.mc_vtvc_meta_bg_w
img,.mc_vtvc_meta_bg_w
.mc_vtvc_cb_w{filter:blur(25px);transform:scale(1.2)}body{--video-metadata-channel-color:#3c3c3c}body.b
_dark{--video-metadata-channel-color:unset}.vsarf
.mc_vtvc_meta_pubdate{color:unset}.vsarf
.mc_vtvc_meta_channel{color:var(--video-metadata-channel-color)}.vsarf
.mc_vtvc
.mc_vtvc_meta_w
.mc_vtvc_title,.vsarf
.mc_vtvc
.mc_vtvc_meta_w
.mc_vtvc_title
strong{font-weight:bold}.vsarf
.mc_vtvc_meta_w
.mc_vtvc_meta_row{font-size:13px}.emptyStyleForDebuggingPurpose{top:0}.vsarf
.mc_vtvc_th
.cico{height:132px}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.empt
yStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurp
ose{top:0}.emptyStyleForDebuggingPurpose{top:0}.emptyStyleForDebuggingPurpose{top:0}.vtbc
.mv_vtvc_play{display:inline-block;position:absolute;bottom:8px;left:9px;height:8px;width:7px}.vtbc
.mv_vtvc_play_ext{background:url(/rp/Lp38sn_O4jegSK0IHxZVxyp-yKQ.png)
-172px
-31px;display:inline-block;height:8px;width:12px;position:absolute;bottom:8px;left:6px}.vtbc
.pivot{height:20px;width:8px;min-width:8px}.vtbc
.mv_vtvc_play{background:url(
MAAADHKvg1AAAIVBMVEX////////////////////9/gMdvAAAACnRSTIMAETNEVWwImbv
uo4D1oAAAAB9JREFUCB1jmMoABKuaQcSqQhCxKgFGgLhNQIkpQAwA8zkLyQA16F0AAAAASUVO
RK5CYII=)}.mc_bc_w{height:18px;padding:8px;text-align:right}.mc_bc{background-color:rgba(0,0,0,.75);p
adding:2px
8px;line-height:14px;color:#fff;display:inline-block;vertical-align:middle;border-radius:2px;font-weight:bold}
```

Lightning protection and grounding of lead-acid batteries in solar container communication stations

Source: <https://www.ruedasenmadrid.es/Mon-26-Jan-2026-34293.html>

Website: <https://www.ruedasenmadrid.es>

```
.mc_bc_w .pivot{text-align:center;margin-right:1px;height:14px}.vsarr .mmgrid .mc_bc_w
.mc_bc{background-color:rgba(0,0,0,.75);opacity:1}.mmsi{height:16px;width:16px;position:relative;top:5px;
padding-right:var(--smtc-gap-between-content-xx-small)}.mmsi-microsoftnews,.mmsi-msn{top:3px}.vrhdata
{display:none}.mmgrid>div{width:197px;display:inline-block;margin-right:8px;margin-bottom:8px;box-shad
ow:0 0 0 1px
rgba(0,0,0,.05);position:relative;vertical-align:top;overflow:hidden;white-space:normal;border-radius:6px}.vs
arr .mmgrid>div,.vsarr1stbig .mmgrid>div{margin-right:8px;margin-bottom:8px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta{height:auto}#serpvidansrr .mc_vtvc
.mc_vtvc_title{display:-webkit-box;-webkit-line-clamp:2;-webkit-box-orient:vertical}.mmgrid
.mc_tc{border:0}.vsa .mmgrid>div:nth-child(3n){margin-right:0}.vsa
.b_moreLink{padding-top:4px}#serpvidansrr
.mc_vtvc_meta_row{line-height:18px;font-size:100%;height:17px}.vsarr
.mmgrid>div:nth-child(2n){margin-right:0}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:128px}.vsarr1stbig .mmgrid>div:nth-child(2){margin-right:0}#serpvidansrr.uipolish
.mc_vtvc_meta_pubdate,#serpvidansrr.uipolish .mc_vtvc_meta_channel,#serpvidansrr.uipolish #vidans2
.b_videocard .video_metadata .video_source{color:#767676}#serpvidansrr #vidans2 .b_videocard
.video_metadata_container,#serpvidansrr #vidans2 .b_videocard .video_metadata_container
.video_metadata>h3{width:100%}@media(max-width:1362.9px){#serpvidansrr
.mmgrid>div{width:168px;height:206px}#serpvidansrr .mmgrid>div .cico,#serpvidansrr .mmgrid>div .cico
.rms_img{width:168px;height:100px}#serpvidansrr .mc_vtvc .mc_vtvc_meta{padding:12px}#serpvidansrr
.mc_vtvc .mc_vtvc_title{height:32px;line-height:16px;margin-bottom:16px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta_block_area{height:34px}#serpvidansrr
.mc_vtvc_meta_row{line-height:15px;font-size:13px;height:15px}#serpvidansrr
.mc_vtvc_meta_pubdate{padding-bottom:4px}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:114px}#serpvidansrr #vidans2 .b_videocard .videoPlayer,#serpvidansrr #vidans2 .b_videocard
.videoPlayer .cico,#serpvidansrr #vidans2 .b_videocard .videoPlayer .cico
.rms_img{width:343px!important;height:194px!important;margin-right:0}@media(max-width:1274.9px){#s
erpvidansrr .mmgrid>div{width:124px;height:164px}#serpvidansrr .mmgrid>div .cico,#serpvidansrr
.mmgrid>div .cico .rms_img{width:124px;height:76px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta{padding:8px}#serpvidansrr .mc_vtvc
.mc_vtvc_title{height:32px;line-height:16px;margin-bottom:12px}#serpvidansrr .mc_vtvc
.mc_vtvc_meta_block_area{height:28px}#serpvidansrr
.mc_vtvc_meta_row{line-height:13px;font-size:11px;height:13px}#serpvidansrr
.mc_vtvc_meta_pubdate{padding-bottom:2px}#serpvidansrr .mc_vtvc .vtmu,#serpvidansrr .mc_vtvc
.vtpl{bottom:96px}#serpvidansrr #vidans2 .b_videocard .videoPlayer,#serpvidansrr #vidans2 .b_videocard
.videoPlayer .cico,#serpvidansrr #vidans2 .b_videocard .videoPlayer .cico
.rms_img{width:256px!important;height:144px!important;margin-right:0}#serpvidansrr .maskthumb
.mc_bc_w{padding:8px 4px 4px 8px}#serpvidansrr.withsplitline
```

Lightning protection and grounding of lead-acid batteries in solar container communication stations

Source: <https://www.ruedasenmadrid.es/Mon-26-Jan-2026-34293.html>

Website: <https://www.ruedasenmadrid.es>

```
.mmgrid>div:nth-last-child(1),#serpvidansrr.withsplitline
.mmgrid>div:nth-last-child(2){margin-bottom:24px}#serpvidansrr.withsplitline .mmgrid{border-bottom:1px
solid #ecec;margin-bottom:16px}#serpvidansrr #vidans2 .b_videocard
.video_metadata{max-width:auto;padding:12px 16px}#serpvidansrr #vidans2
.b_videocard{margin-bottom:12px;box-shadow:0 0 1px rgba(0,0,0,.05),0 2px 3px
rgba(0,0,0,.1);border-radius:6px}#serpvidansrr .b_rich{padding-top:0}#serpvidansrr #vidans2
.videoPlayer{border-radius:6px 6px 0 0;overflow:hidden}#serpvidansrr #vidans2 .b_videocard
.video_metadata>h3{white-space:nowrap;overflow:hidden;text-overflow:ellipsis;-webkit-line-clamp:1;line-he
ight:15px;height:15px;font-size:13px;color:#000;margin-bottom:20px;font-family:"Arial",Helvetica,Sans-Seri
f;font-style:normal;display:block}#serpvidansrr.vsarr1stbig #vidans2 .b_videocard .video_metadata
.actionmenu{display:none}#serpvidansrr #vidans2 .b_videocard .video_summary,#serpvidansrr #vidans2
.b_videocard .video_source{line-height:15px}#serpvidansrr #vidans2 .b_videocard .videoPlayer
.vtbc{right:0}.vrhc line.nhvpv .pffvi,.vrhc line.nhvpv[data-tps="S"] .pffvt,.vrhc line.nhvpv[data-tps="M"]
.pffvt,.vrhc line.nhvpv[data-tps="L"] .pffvt{display:inline-flex}.vrhc line.nhvpv .vrhct.pffv
.vrhc{display:none}.vrhc line.nhvpv .vrhct.pffv
.player_ol{background:var(--mai-smtc-background-ctrl-on-image-hover);transition:background-color
.5s;display:flex;align-items:center;justify-content:center;padding:var(--smtc-gap-between-content-x-small);ga
p:var(--smtc-gap-between-content-x-small);box-sizing:border-box}.mc_vtvc_th img{transition:all .3s
ease-out}.nhvpv+.mc_vtvc_th
img{transform:scale(1.1)}.smtplayerhtml5{height:100%;width:100%;overflow:hidden}.smtplayerhtml5
video{min-height:100%;min-width:100%}.smtplayerhtml5
.videoplaying{background-color:#000}.smtplayerhtml5.hide{display:none}.pffvt{display:none;color:var(--ma
i-smtc-foreground-ctrl-on-image-rest);font:var(--bing-smtc-text-global-subtitle2-strong)}.pffvi{mask:url(/rp/ui
07wU6K7FR_inzG7DRbP1i8fGo.svg) center
no-repeat;mask-size:12px;background:var(--bing-smtc-background-card-on-image-default);width:20px;height
:20px;flex-shrink:0;align-self:flex-start}[data-tps="L"]
.pffvt{font:var(--bing-smtc-text-global-subtitle2-strong)}[data-tps="L"]
.pffvi{width:22px;height:22px;mask-size:16px}[data-tps="S"] .pffvt{font-size:0}[data-tps="S"]
.pffvi{width:24px;height:24px;mask-size:24px;align-self:center}.hvpv.h5s
.pffvt{display:inline-flex}.hvpv.h5s .vrhct.pffv .vrhc{display:none}.hvpv.h5s .vrhct.pffv
.player_ol{background:var(--mai-smtc-background-ctrl-on-image-hover);transition:background-color
.5s;display:flex;align-items:center;justify-content:center;padding:var(--smtc-gap-between-content-x-small);ga
p:var(--smtc-gap-between-content-x-small);box-sizing:border-box}.pffvt{text-decoration:underline}.vrhc
.vrhc{position:absolute;width:100%;height:35px;max-height:35px;bottom:0;left:0;padding:0;background:non
e;display:block;z-index:9}.vrhc .vrhc.hide,.vrhc .vrhc .vrhc
.hide{display:none}.vrhc{white-space:nowrap;text-overflow:ellipsis;overflow:hidden;display:inline-block;po
sition:absolute;max-width:240px;height:18px;line-height:14px;margin-left:8px;top:10px;left:0;right:0;border-
radius:2px;padding-right:8px}.vrhc div{display:inline-block}.vrhc
```

Lightning protection and grounding of lead-acid batteries in solar container communication stations

Source: <https://www.ruedasenmadrid.es/Mon-26-Jan-2026-34293.html>

Website: <https://www.ruedasenmadrid.es>

```
nt{color:#fff;font-size:11px;font-weight:bold;background-color:rgba(0,0,0,.75);padding:2px
8px;margin-left:0;top:0;box-sizing:border-box;position:relative}.vrhc
.ricons{position:absolute;right:8px;top:10px;left:auto;bottom:auto;height:18px;display:inline-block;cursor:poi
nter}.vrhol.icons_1 .vrhot{margin-right:27px}.vrhol.icons_2 .vrhot{margin-right:49px}.vrhol.icons_3
.vrhot{margin-right:79px}.vrhol .vrhot nt,.vsb_tr_chd .vrhol.icons_1
.vrhot{margin-right:0}.vpb{position:absolute;display:block;bottom:0;left:0;height:4px}.vpb
div{position:absolute}.vpb nt{width:0;background:#fff}.vpb
nt.test{display:none}.vpb.back{background-color:#999}.vrhcb
.vrhol.npb{height:36px;max-height:36px}.vrhol
.vadda{width:22px;height:18px;padding:0;margin-right:0;margin-left:2px;bottom:0;position:relative;display:i
nline-block;z-index:1;background:rgba(0,0,0,.75);border-radius:2px;overflow:hidden}.vrhol
.vadda.hide{display:none}.vrhol .vadda .mc_vfaa{margin:3px 5px}.ricons .vol{float:left}.ricons
.adultFlag{float:right}.vol{width:22px;height:18px;bottom:0;margin-left:1px;margin-right:1px;position:relati
ve;display:inline-block}.vol.hide,.vol .hide{display:none}.vol
.bg{background:rgba(0,0,0,.75);border-radius:2px}.vol.bg,.vol nt{position:absolute;bottom:0}.vol
.vol.bg.volnb{border-radius:0 0 2px 2px}.vol .volsliderHandle.bg{border-radius:2px 2px 0 0}.vol nt
.volsliderHandle{height:70px;display:none;width:22px;float:left;bottom:18px;position:absolute;display:block
}.vol nt .volsliderHandle.hide{display:none}.volsliderHandle
.vsb{height:54px;width:4px;background-color:#999;margin:9px auto
8px;position:relative;display:block;border-radius:2px}.volsliderHandle
.vsh{height:6px;width:14px;padding:9px 7px 9px 7px;margin:0
-12px;display:block;position:absolute;top:30px}.volsliderHandle .vsh.hide{display:none}.volsliderHandle
.vshi{height:4px;width:14px;background-color:#fff;border-radius:2px}.volMuteIcon{width:16px;height:14px;
margin:2px
4px;float:left}.volMuteHandle{width:22px;height:18px}.vo{background:url(/rp/ffZxBXEIP9WYOO0jhTaEl
yLhEVU.svg) no-repeat}.vm{background:url(/rp/fsX-ZVd03wB2TL0vmQJxSp4U9vs.svg)
no-repeat}.vl{background:url(/rp/YXYMPC1Rry_XJGc7Yg8lR4B2eEs.svg)
no-repeat}.vf{background:url(/rp/NoslR4amKTs1zYxWy3laZN3HRk.svg)
no-repeat}@media(forced-colors:active){.vol{forced-color-adjust:none}}.vrhc line .vt_vp,.vrhc.popout
.vt_vp,.vrhc.mousefollow
.vt_vp{position:absolute;bottom:0;border:hidden;padding:0;top:0;left:0;z-index:3}.vrhc
.hide{display:none}.vrh_clc .vt_vp,.vrh_clc .vrhc .vrhi,.vrh_clc .player_ol{cursor:pointer}.vrh_clc
.cico{border-radius:0}.vrhc{border:hidden;top:0;left:0;padding:0}.vrhc.mousefollow .vrhc,.vrhc.popout
.vrhc{background-color:#999}.vrhtpc.load
.player_ol{background:url(/rp/J_o2maogFDeUOsovPjL-ofEuxJ4.gif) center center no-repeat}.vrhc line .vrhc
.vrhi,.vrhc.popout .vrhc .vrhi,.vrhc.mousefollow .vrhc
.vrhi{position:absolute!important;border:hidden;z-index:2;padding:0;left:0;top:0}.player_ol{position:absolute
;width:100%;height:100%;bottom:0;border:hidden;z-index:7}.vrhc.popout,.vrhc
```

Lightning protection and grounding of lead-acid batteries in solar container communication stations

Source: <https://www.ruedasenmadrid.es/Mon-26-Jan-2026-34293.html>

Website: <https://www.ruedasenmadrid.es>

```
line,.vrhc.mousefollow{border-radius:6px;overflow:hidden;display:table-row-group;background:none}.vrhc.p
opout,.vrhc.mousefollow{z-index:4;box-shadow:0 4px 4px rgba(0,0,0,.1),0 2px 80px rgba(0,0,0,.2)}.vrhc
line{z-index:1;margin:0}.vrhc.popout,.vrhc line{position:absolute;top:0}.vrhc.popout{border:1px solid
#fff}.vrhc.mousefollow{position:fixed}.vrhcpc{position:relative;top:0;left:0;display:table-row}.vrhcpc
.vrhc{position:relative;overflow:hidden}.vrhc.hide{display:none}@keyframes
vh_fadein{from{opacity:0}to{opacity:1}}.vrhc:not(.hide){animation:vh_fadein 250ms}.vrhc line
img{color:transparent}.vrhc
line.fullsize{height:100%}.vrhc,.vrhc: hover,.vrhc: link,.vrhc: active,.vrhc: visited{color:#000;text-decoration:no
ne}.vrhc.vrh_clc{cursor:pointer}a.hover-anchor{display:block;height:100%;width:100%;text-decoration:none
}.vrhstat{height:0;overflow:hidden}.grad{width:100%;height:24px;position:absolute;bottom:0;background:lin
ear-gradient(180deg,rgba(255,255,255,0) 0%,#fff 100%)}b_drk .grad,b_dark
.grad{background:linear-gradient(180deg,rgba(41,40,39,0) 0%,#292827
95%)}b_module_expansion_control{padding-bottom:4px}b_module_expansion
.b_expansion_wrapper{border-top:1px solid
#cdcdcd}b_module_expansion_control.b_module_head>.b_module_expansion
.b_expansion_wrapper{border-top:0}b_module_expansion
.b_expmob_rc{border-top:0}b_module_expansion .b_expansion_wrapper,.b_module_expansion
.b_offpage_expansion a,#b_results .b_module_expansion .b_offpage_expansion
a{color:#666}b_module_expansion .b_expansion_wrapper
.sv_ch{fill:#666}b_module_expansion_control.b_module_head>.b_module_expansion
.b_expansion_wrapper,.b_module_expansion_control.b_module_head>.b_module_expansion
.b_offpage_expansion a,#b_results .b_module_expansion_control.b_module_head>.b_module_expansion
.b_offpage_expansion a{color:#666}b_module_expansion_control.b_module_head>.b_module_expansion
.b_expansion_wrapper .sv_ch{fill:#666}#b_context .b_module_expansion
.b_expansion_wrapper{border-top:1px solid #ebeb}#b_context
.b_module_expansion_control.b_module_head>.b_module_expansion
.b_expansion_wrapper{border-top:0}#b_pole .b_module_expansion .b_offpage_expansion
a{color:#666}#b_pole .b_module_expansion_control.b_module_head>.b_module_expansion
.b_offpage_expansion a{color:#666}#b_context .b_module_expansion .b_offpage_expansion
a{color:#666}#b_context .b_module_expansion_control.b_module_head>.b_module_expansion
.b_expansion_wrapper,#b_context .b_module_expansion_control.b_module_head>.b_module_expansion
.b_offpage_expansion a{color:#767676}#b_context
.b_module_expansion_control.b_module_head>.b_module_expansion .b_expansion_wrapper
.sv_ch{fill:#767676}b_btnContainer{width:100%;height:46px;border-radius:0 6px 6px
0;position:absolute;bottom:-20px}b_CompactExpansion:active{background-color:#00526b}b_CompactExpa
nsion: hover{background-color:#106ebe;cursor:pointer}b_CompactExpansion{background-color:#106ebe;col
or:#fff;border-radius:16px;height:30px}b_CompactExpansion{display:inline-block;line-height:30px;text-alig
n:center;padding-left:16px;padding-right:16px;position:relative;left:50%;transform:translateX(-50%);bottom:-
```

Lightning protection and grounding of lead-acid batteries in solar container communication stations

Source: <https://www.ruedasenmadrid.es/Mon-26-Jan-2026-34293.html>

Website: <https://www.ruedasenmadrid.es>

11px;z-index:4;pointer-events:auto}html[dir="rtl"]

.b_CompactExpansion{transform:translateX(50%)}.b_CompactExpansion

.b_arrow{margin-left:7px;margin-bottom:-1.75px;display:inline-block;height:.75em}.b_algo_group

.b_CompactExpansion

.b_arrow{margin-left:3px;height:7px;margin-bottom:0;width:12px}.b_CompactExpansionBtnText{font-family:inherit;font-style:normal;font-weight:400;font-size:13px;line-height:20px;color:#fff;display:inline-block}

To ensure the safe operation of the system, appropriate lightning protection measures, such as lightning rods, good grounding systems, and SPDs, must be installed.

This article delves into the science behind lightning protection, with a focus on surge protection devices (SPDs) from reputable ...

For standard PV power stations, grounding resistance should be below 4 ohms; for large-scale PV power stations or areas with frequent lightning, it should be below 1 ohm. In high-resistivity ...

Web: <https://www.ruedasenmadrid.es>

